



Product Specifications


Custom Oligo Synthesis, antisense oligos, RNA oligos, chimeric oligos, Fluorescent dyes, Affinity Ligands, Spacers & Linkers, Duplex Stabilizers, Minor bases, labeled oligos, Molecular Beacons, siRNA, phosphonates Locked Nucleic Acids (LNA); 2'-5' linked Oligos

Oligo Modifications

For research use only. Not for use in diagnostic procedures for clinical purposes.

Cy3B

Category	Fluorescent Dyes
Modification Code	Cy3B-N
Reference Catalog Number	26-6907
5 Prime	Y
3 Prime	Y
Internal	Y
Molecular Weight(mw)	678



Cy3B modification is a post synthesis conjugation to a primary amino group thus an additional modification with an amino group is required. A C6 or C12 amino group can be placed at the 5' or for the 3' end a C3 or C7 amino and for internal positions an amino modified base is used, e.g **Amino dT C6**. **YIELD** NHS based modifications are post synthesis conjugation performed using a primary amino group. The yield is lower as compared to direct automated coupling of modifications that are available as amidites. Approximate yield for various scales are given below.

Yield given below are for oligos shorter than 50mer. Please see longer oligos yield at this link [Long Oligo Typical Yield](#).

~2 nmol final yield for 50 nmol scale synthesis.

~5 nmol final yield for 200 nmol scale synthesis.

~16 nmol final yield for 1 umol scale synthesis

~32 nmol final yield for 2 umol scale synthesis

~160 nmol final yield for 10 umol scale synthesis

~240 nmol final yield for 15 umol scale synthesis

Cyanine 3B (Cy3B) is an orange fluorescent dye that belongs to the Cyanine family of synthetic polymethine dyes. Cy3B is reactive, water-soluble, has an absorbance maximum of 559 nm and an emission maximum of 570 nm. It is available as an NHS ester, and is used to fluorescently label oligonucleotides at either the 5' or 3' end, or internally. Cyanine dyes normally are capable of cis/trans isomerization around the polymethine, which can lead to loss of fluorescence after excitation, and weaker signal. By contrast, Cy3B is conformationally locked, the dye is not subject to photo-isomerization and improved fluorescent properties (1,2). Consequently, Cy3B is both extremely bright and extremely stable. Cy3B can be used to substitute in any oligonucleotide-based application suitable for Cy3, such as TaqMan probes, Scorpion primers, Molecular Beacons, or Fluorescent In-Situ Hybridization. Like Cy3, Cy3B is most commonly paired with the dark quencher BHQ-2, as the two have excellent spectral overlap. **References**

1. Cooper, M., Ebner, A., Briggs, M., Burrows, M., Gardner, N., Richardson, R., West, R. Cy3B: improving the performance of cyanine dyes. *J. Fluoresc.* (2004), **14**: 1145-150.
2. Hall, L.M., Gerowska, M., Brown, T. A highly fluorescent DNA toolkit: synthesis and properties of oligonucleotides containing new Cy3, Cy5, and Cy3B monomers.

